


# Follow us to be updated with our latest news.





YouTube

# "A story that starts from the love for our work."

#### TO MY FATHER.

Sbaraglia S.r.l. is a company that today operates in many sectors, from production to the construction of small and medium-sized machines for agriculture and gardening.

We take care of every aspect down to the smallest detail with innovation, attention to materials, assistance and love for our work. This is the result of years of work with my father, Michele Sbaraglia, A person who had never lost the practical and human roots of these activities.

Family is an added value to our development lever.

**General Manager** 

Matteo Sbaraglia







## POWERFUL FAST INDEPENDENT

Adrian is the first 12v olive harvester battery powered.



## **ADRIAN V21**

CODE: A36

Electric motor
Volt: 12
Speed: 1500 bpm
Hourly consumption: 2.5 amps
Ultralight telescopic pole 1.5 / 2.5 m
Interchangeable carbon rods
Power cable: 15 mt
Weight: 1.5 kg



Battery not included min 55 amps max 65 amps.



## THE EASY AND EFFECTIVE CHOICE

12v olive harvester battery powered with "U" Sbaraglia base



## **SHEKER 1200**

**CODE: A37** 

Electric motor
Volt: 12
Speed: 1200 bpm
Hourly consumption: 3.5 amp
Ultralight telescopic pole 1.5 / 2.5 m
"U" base
Power cable: 15 mt
Top switch
Weight: 2.4 kg



Battery not included min 55 amps max 65 amps.



## **WHAT'S NEW**



**S21** 

CODE: A47

2100 beats per minute
Works at 5 bar (THE ONLY ON THE MARKET)
Sliding chambers in stainless steel
35 MM diameter cylinder
ABSOLUTE NEW: Piston without seals
Weight: about 850 g
Professional olive harvester
Oil consumption is low: 1 drop every 10 seconds





## **S21 CARBON**

CODE: A48

1800 beats per minute
Sliding chambers in stainless steel
35 MM diameter cylinder
ABSOLUTE NEW: Piston without seals
Weight: about 750g
Professional olive harvester
Oil consumption is low: 1 drop every 10 seconds







## **VOLARE**

**CODE: A 40** 

Engine: Pneumatic Speed: 1900 bpm Bar: 6/7 L / min: 180 Weight: about 700 gr





## VOLARE CON ASTINE

**CODE: A 40 S** 

Engine: Pneumatic Speed: 1600 bpm Bar: 6/7 L / min: 180 Weight: about 900 gr









rod (m. Of your choice), 20 m of Ø10 hose fittings, 1 faucet bush.

## KIT KRISI 380 X1

**CODE: TKH 380 55** 

1 Operator

Engine: Honda GX 160 HP 5.5 Petrol Tank: 19 Lt.

Fini headboard

L / Min: 380, Bar: 12

Tool exits: 2

Max number of harvesters: 1 Max no. scissors: 2

Max no. Of saws: 0

1.980

Self Accelerator and bracket not included.

#### **KIT WITH SBARAGLIA HP 6.5 PETROL**

**CODE: TKS 380 65** 





## **KIT KRISONE 580 X2**

**CODE: TKR 580 55** 

2 Operators

Engine: Honda GX 200 HP 6.5 Petrol

Tank: 37 Lt.

Fini headboard

L / Min: 580, Bar: 12 Tool exits: 2

Max number of harvesters: 2

Max no. scissors: 2 Max no. Of saws: 1

2.530




Self Accelerator and bracket not included.

KIT WITH SBARAGLIA **HP 6.5 PETROL** 

**CODE: TKS 580 65** 

2.365





## **KIT TEXAS 750 V X2**

**CODE: K2 TB 750 65** 

2 Operators

Engine: Honda GX 200 HP 6.5 Petrol Tank: 24 + 24 Lt. V-shaped Sbaraglia head in cast iron L / Min: 750, Bar: 12 Tool exits: 3 Max number of harvesters: 3 Max no. scissors: 3 Max no. Of saws: 1



Self Accelerator and bracket not included.



## **KIT TEXAS 900 V X2**

**CODE: K2 TB 900 V** 

2 Operators

Sbaraglia 14hp 420cc engine Tank: 24 + 24 Lt. V-shaped Sbaraglia head in cast iron L / Min: 900, Bar: 12 Tool exits: 3 Max number of harvesters: 3 Max no. scissors: 3 Max no. Of saws: 1



Self Accelerator and bracket not included.





## **KRISI 380**

#### **CODE: TK 380 55**

Engine: Honda GX 160 HP 5.5 Petrol Tank: 19 Lt. Fini headboard L / Min: 380, Bar: 12 Tool exits: 2 Max number of harvesters: 1 Max no. scissors: 2 Max no. Of saws: 0



Measurements: 88x74x50 Self Accelerator and bracket not included.



## **KRISONE 580**

#### **CODE: KRH 580 55**

Engine: Honda GX 200 HP 6.5 Petrol Tank: 37 Lt. Fini headboard L / Min: 580, Bar: 12 Tool exits: 2 Max number of harvesters: 2 Max no. scissors: 2 Max no. Of saws: 1



Measurements: 88x74x50 Self Accelerator and bracket not included.





## **TEXAS 750 V**

#### **CODE: TB 750V 65**

Engine: Honda GX 200 HP 6.5 Petrol Tank: 24 + 24 Lt. V-shaped Sbaraglia head in cast iron L / Min: 750, Bar: 12 Tool exits: 3 Max number of harvesters: 3 Max no. scissors: 3 Max no. Of saws: 1



Measurements: 90x95x101 Self Accelerator and bracket not included.



## **TEXAS 900 V**

#### **CODE: TB 900V 10**

Sbaraglia 14hp 420cc engine Tank: 24 + 24 Lt. Petrol L / Min: 900, Bar: 12 Tool exits: 3 Max number of harvesters: 3 Max no. scissors: 3 Max no. Of saws: 1



Measurements: 90x95x101 Self Accelerator and bracket not included.





## **BIG 1000**

#### **CODE: TB 1000 V14**

Engine: Sbaraglia 14hp 420cc Petrol
Compressor head: Fini 1000 liters of gasoline intake air
FRL Group: Camozzi spa 3/8
Max pressure: 12 bar
Scissor capacity: 3
Tank: 37 + 37 lt
Coating: Powder
Cooling casing: in iron with double cooling
Harvesters capacity: 3
Tool output: 3
Saw capacity: 1



Measurements: 90x95x101 Self Accelerator and bracket not included.



#### **VIRGINIA 580**

#### **CODE: CV 580 50**

Engine: Air intake: 580 l Tank: 50 Lt. Fini headboard L / Min: 580, Bar: 12 Tool exits: 2 Max no. harvesters: 2 Max no. scissors: 2 Max no. Of saws: 1

1.540 📵 +VAT

## **KANSAS 1500**

#### **CODE: CK 1500 50**

Engine: Air intake: 1500 l Tank: 50 Lt. Fini headboard L / Min: 1500, Bar: 12 Gear outputs: 3-4 Max no. harvesters: 2 Max no. scissors: 2 Max no. Of saws: 1

2.860 (a) +VAT

## **KANSAS 1000**

#### **CODE: CK 1000 50**

Engine: Air intake: 1000 l Tank: 50 Lt. Fini headboard L/Min: 1000, Bar: 12 Tool exits: 3 Max no. harvesters: 2 Max no. scissors: 2 Max no. Of saws: 1

2.310 ( +VAT





## **TURBO OREGON** 5 fins

**CODE: A 23 T** 

Chain: Oregon 1/4, Step 1.3 Weight: about 1 kg Bar: 12 L/min: 400 Automatic Lubrication



Pneumatic hacksaw approved exclusively on rod Use tube diam. 9x12 max 25 mt. Lubricate the tool with 1 drop / second

PLEASE NOTE: HANDLE NOT INCLUDED



## **TURBO OREGON** 7 fins

**CODE: A 27 T** 

Oregon 1/4 chain, Step 1.3 Weight: about 1 kg Bar: 12 L/min: 400 Automatic Lubrication



Pneumatic hacksaw approved exclusively on rod Use tube diam. 9x12 max 25 mt. Lubricate the tool with 1 drop / second

PLEASE NOTE: HANDLE NOT INCLUDED





## TURBO CARVING 5 fins

**CODE: A 25 T** 

Chain: Carving 1/4, Step 1.1 Weight: about 1 kg Bar: 12 L / min: 400 Automatic Lubrication



Pneumatic hacksaw approved exclusively on rod Use tube diam. 9x12 max 25 mt. Lubricate the tool with 1 drop/second

PLEASE NOTE: HANDLE NOT INCLUDED



## TURBO CARVING 7 alette

**CODE: A 26 T** 

Carving chain 1/4, Step 1.1 Weight: about 1 kg Bar: 12 L/min: 400 Automatic Lubrication



Pneumatic hacksaw approved exclusively on rod Use tube diam. 9x12 max 25 mt. Lubricate the tool with 1 drop / second

PLEASE NOTE: HANDLE NOT INCLUDED







## **EDUARD 25 SMART**

#### **CODE: A 3043**

Brushless 260 w motor
C45 steel blades
Weight about 600 g
Cutting diameter from 15 mm to 25 mm
Battery weight 200 gr
Power 16.8v 2ah
Charging time 1.5 h
Autonomy 3h
2 batteries supplied





## **EDUARD 25**

#### **CODE: A 3041**

Brushless 260 w motor C45 Switzerland steel blades Weight about 650 g Cutting diameter from 15 mm to 25 mm Battery weight 210 gr Power 16.8v 2.5 ah Charging time 1.5 h Autonomy 3 h 2 batteries supplied





## **EDUARD 32**

#### **CODE: A 3042**

Brushless 450 w motor C45 steel blades Weight about 750 g Cutting diameter from 15 mm to 32 mm Battery weight 210 gr Power 16.8v 2.5 ah Charging time 1.5 h Autonomy 3 h 2 batteries supplied



## **ARES SUPER LIGHT**

#### THE LIGHTER BATTERY-OPERATED SAW







# ARES SUPER LIGHT BATTERY SAW WITH FIXED ROD

**CODE: A3310** 

Voltage 21v, brushless motor Cutting diameter 150mm Chain speed 11 m / s Carving bar length 17.5 cm step 1.1 Battery 21v 5.2 Ampere, Duration 2.2 h Charging time: 2h Weight: 1,750 Kg Battery Weight: 600g

The package includes: 1 cordless hacksaw with pole 2 21v 5.2 Amp batteries, 1 battery charger N.B. The hacksaw has an automatic oil pump

#### 1.8 MT





# BATTERY SAW TELESCOPIC ROD

**CODE: A3320** 

Voltage 21v, brushless motor Cutting diameter 150mm Chain speed 11 m / s Carving bar length 17.5 cm step 1.1 Battery 21v 5.2 Ampere, Duration 2.2 h Charging time: 2h Weight: 2,350 Kg Battery Weight: 600g Telescopic pole 1.5mt - 2.5mt

The package includes: 1 cordless hacksaw with pole 2 21v 5.2 Amp batteries, 1 battery charger N.B. The hacksaw has an automatic oil pump







#### **RAMBO ENERGY 21V**

#### **CODE: A 3026**

Voltage 21V Motor: Brushless Cutting diameter: 150 mm Chain speed: 11 m/s Bar: Carving length 17.5 cm Step 1.1 Battery: 21V 5.2 Ampere Duration: 2.2H Charging time: 2H Weight without battery: 1.4 KG Weight with battery: 1.9 KG

THE PACKAGE INCLUDES: 1 RAMBO ENERGY SAW WITH CARVING BAR AND CHAIN 2 BATTERIES 21 V 5.2 AMP 1 BATTERY CHARGER 1 BOOK N.B. The hacksaw has an automatic oil pump





**BATTERY 21V 5 AMP RAMBO ENERGY AND ARES**  **CODE: A 3001** 









**BATTERY CHARGER FOR RAMBO ENERGY AND ARES** 

**CODE: A 3051** 









#### **RAMBO 2 OREGON**

**CODE: A 3025** 

#### Engine capacity: cc. 25

25 cm Oregon bar, 25.4 cc engine and 0.9 kw Engine: 2-stroke air-cooled with japan carburettor Oregon bar length: 25 cm 45 3/8 mm link chain Lightweight: only 3.4 kg Chain oil emission adjustable by special screw Design by Sbaraglia





#### **RAMBO 2 CARVING**

**CODE: A 3025 C** 

#### Engine capacity: cc. 25

Carving bar 25.4 cc engine and 0.9 kw Engine: 2-stroke air-cooled with japan carburettor Lightweight: only 3.4 kg Chain oil emission adjustable by special screw Design by Sbaraglia









## **ROMEO 33**

**CODE: A 3050** 

Engine capacity 32.6 cc 2-stroke engine Power: 0.9 Kw Max engine rpm: 9800 rpm Max shaft rotation rpm: 7500 rpm Ratio: 19:14 Automatic cooling Single handle Easy start pull start Tank capacity: 0.9 lt Shaft diameter: 26 mm Weight: 6.6 Kg



Included for each brushcutter: tap and go head, line, 3-blade disc, stone guard, shoulder strap.

## **ROMEO 43**

**CODE: A 3060** 

Engine capacity 42.7 cc 2-stroke engine Power: 1.25 Kw Max engine rpm: 10000 rpm Max shaft rotation rpm: 7800 rpm Ratio: 19:14 Automatic cooling Single handle Easy Start easy pull start Tank capacity: 1 lt Shaft diameter: 28 mm Weight: 7.6 Kg

# 259 ( +vat

Included for each brushcutter: tap and go head, line, 3-blade disc, stone guard, shoulder strap.

## **ROMEO 52**

**CODE: A 3070** 

Engine capacity 51.7 cc 2-stroke engine Power: 1.4 Kw Max engine rpm: 10000 rpm Max shaft rotation rpm: 7800 rpm Ratio: 19:14 Automatic cooling Single handle Aluminum shell Easy Start easy pull start Primer: Yes Tank capacity: 1 lt Shaft diameter: 28 mm Weight: 7.7 Kg



Included for each brushcutter: tap and go head, line, 3-blade disc, stone guard, shoulder strap.







#### **CARLETTO 1**

1 forward and 1 reverse gears

#### **CODE: A 3010**

4-stroke engine 212 cc Hp 6.5 1 forward and 1 reverse Tiller 80 cm Side protection discs: yes CE safety system: yes Transfer wheel (s): yes Rear spur: yes Belt transmission

> Net weight: 56 Kg Height: 100 cm Width: 80 cm Length: 1450 cm



#### **CARLETTO 2**

2 forward and 1 reverse gears

#### **CODE: A 3020**

4-stroke engine 212 cc Hp 6.5
2 forward and 1 reverse gear
Oil bath change
Tiller 80 cm
Side protection discs: yes
CE safety system: yes
Transfer wheel (s): yes
Rear spur: yes
Belt transmission

Net weight: 57 Kg Height: 100 cm Width: 80 cm Length: 1450 cm





#### MULTIFUNCTIONAL SBARAGLIA



#### **CODE: A 3030**

Engine Brand: SBARAGLIA Model: MS 360 Engine type: 4-stroke Engine capacity: 196 cm Nominal power (HP) 6.5 HP Fuel: petrol Engine lubrication type: oil bath Tank capacity: 3.6 L 180° reversible handle
Quick coupling with lever for tool insertion
Transmission in oil bath
Gearbox type: 2-speed mechanical (1 forward + 1 r.m.)
Gearbox mechanics: with oil bath gears
Number of forward gears: 1 + 1
Number of reverse gears: 1 + 1 Reduced





#### **CODE: A 3031**

Standard cutter width: 48 cm Narrow cutter width: 34 cm Cutter diameter: 26 cm





#### **CODE: A 3033**

2 pieces iron wheels 1 furrowing machine 30 cm



#### **MOWER MOD GC 360**

#### **CODE: A 3032**

Number of blade holder supports: 4 Number of blades: 16 Sickle bar: with double blade movement. Blades drive: with lever on the handle



#### **SNOW TURBINE ST360**

#### **CODE: A 3035**

Working width 56 cm 270 ° rotation Distance of snow turbine jet 6 mt Weight 38 kg



#### **SWEEPER SW 360**

#### **CODE: A 3034**

Movement rotor diameter 320 mm Width 900 mm Speed of revolutions 400 rpm weight 43 kg















## WHEELED SPRAYING MOTOR PUMP ACQUA SPRAY



#### M25 80 LT

**CODE: PM 2580** 

Pump: Annovi Reverberi AR 252
Flow rate: 25 I / min
Pressure: 25 Bar
Engine: Petrol Rato, 2.5 HP 100cc
Tank: 80 It Polyethylene
Command group: Vri Annovi Reverberi
Professional pressure gauge and regulator
Iron structure
Powder coated (wear resistant)



Including 20 m high pressure hose 45 bar and lance with adjustment knob.

**M25 120 LT** 

**CODE: PM 25120** 

1150 📵 +VAT

Including 20 m high pressure hose 25 bar and lance with adjustment knob



#### **SPRAYING ACCESSORIES**

#### **KNOB LANCE**

CODE: PA 45



#### **HIGH PRESSURE HOSE**

**CODE: PA 4151** 

40 bar high pressure hose without fittings Diameter 8 internal section



#### **IRON HOSE REEL**

**CODE: PA 4150** 

Brass spraying fittings \*hose not included



#### **HOSE REEL BRACKET**

**CODE: P A 42** 



**CODE: P A 44** Tractor coupling pump



#### **JET**

**CODE: P A 43** 

Curved stainless steel nebulizer with att. 3/8 with standard cone nozzle φ1.5 mm.













## TRACTOR UNIT FOR SPRAYING ACQUA SPRAY



#### **ACQUA SPRAY 300**

#### **CODE: A 5000**

The tractor sprayer barrel is a spraying unit suitable for medium-sized crop fields. Equipped with Annovi Reverberi AR713 pump with 3

Equipped with Annovi Reverberi AR713 pump with 3 semi-hydraulic membranes and with Annovi Reverberi G140 control unit, used for use in the professional agricultural sector on machines for treatment in orchards, olive groves or vineyards with high pressure phytosanitary products.

Annovi Reverberi AR713 pump Category: high pressure anodizing Type: AR 713 Version: AP C / SP N° Membranes: 3 Flow rate (I / min): 76.1 Flow rate (gpm): 20.1 Pressure (bar): 40 Pressure (psi): 580 Power (HP): 7.3 Revolutions / min RPM: 550

2.640 (3) +VAT

2.750 📵 +VAT

# 2.860 (3) +VAT

# 2.970 (3) +VAT

## **ACQUA SPRAY 400**

**CODE: A 5010** Tank 400 Lt

## **ACQUA SPRAY 500**

**CODE: A 5020**Tank 500 Lt

#### **ACQUA SPRAY 600**

**CODE: A 5030** Tank 600 Lt



## PIUMA FIXED

Diameter: Ø 28 Bushing: Aluminum

1,0 MT **CODE: A63100** 

79 📵 +VAT

1,5 MT **CODE: A63150** 

81 (3) +VAT

2.0 MT **CODE: A63200** 

83 (3) +VAT

2.5 MT **CODE: A63250** 

85 (3) +VAT

Handle and tap bushing not included



## PIUMA TELESCOPIC

**CODE: A 64** 

Length: 150/290 cm Simplified locking Bushing: Aluminum

143 😝 +VAT

Handle and tap bushing not included

## **SPARE PARTS**





#### PIT STOP HANDLE

**CODE: A 74** 





## **BUSH WITH SWIVEL TAP**

**CODE: A 73** 





## **HOSE REEL**

CODE A41-8 HOSE DIAM 8 CODE A41-10 HOSE DIAM 10 CODE A41-12 HOSE DIAM 12

> Fitting for hose from: Ø 6 x 8, Ø 8 x 10, Ø 9 x 12 Maximum 100 mt hose not included





## **SELF ACCELERATOR**

Elastofles hose complete with bracket and fittings

CODE: A 105 B (PETROL) 44 (a) +VAT

CODE: A 105 D (DIESEL) 44 **③** +VAT

## **SPARE PARTS**





## **FURBO HOSE** WITH FITTINGS

Diam 10 MT 20 WITH FITTINGS

**CODE: A 55** 

49 (3) +VAT

Diam 12 MT 25 WITH FITTINGS

**CODE: A 56** 

79 (3) +VAT

Diam 10 MT 50 WITH FITTINGS

**CODE: A 57** 

96 (3) +VAT



## **FURBO HOSE BY THE METER**

DIAM 10 MM **CODE: A 52** 

1,45 (a) /meter +VAT

DIAM 12 MM CODE: A 53

2,30 (a) /meter +VAT



## **SUPPORT FOR HOSE REEL**

FOR TEXAS 580 SERIES

**CODE: A 39** 

28 (3) +VAT

FOR KRISI / KRISONE SERIES

**CODE: A 42** 

33 (3) +VAT

FOR TEXAS SERIES

**CODE:** A 44

49 (3) +VAT

## **SPARE PARTS**







#### **RT 505 OIL 1 LT**

## **RT 505 OIL 1 LT 24 PCS**

Sbaraglia

SINGLE PACKAGE CODE: A 60



PACKAGING 24 PCS CODE: A 61







SINGLE PACKAGE CODE: A 71



SINGLE PACKAGE CODE: A 59





#### **Company contacts**

PHONE +39 0871360565

GENERAL CONTACT info@sbaragliacompressori.it

ASSISTANCE AND SPARE PARTS assistenza@sbaragliacompressori.it

MANAGEMENT amministrazione@sbaragliacompressori.it

WEBSITE www.sbaragliacompressori.it

DIRECT ASSISTANCE FROM THE COMPANY SBARAGLIA IN 48H FOR ANY PRODUCT

PRODUCT WARRANTY 2 years
Batteries 1 year

N.B. THE PRICES IN THIS PRICE LIST ARE NET OF VAT AND DO NOT INCLUDE THE COSTS OF PACKAGING TRANSPORTATION AND COLLECTION



Discover all our products on: www.sbaragliacompressori.it

WHERE THE FUTURE MEETS AGRICULTURE.

#### Sbaraglia S.r.l. Unip